

## BEE Labeled Air Conditioners as of February 29, 2008

Brand: **Carrier** Type: **Window Air Conditioner**

Sl.No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	WCARS09FA	0.75	2423	996	2.43	1 (One)
2	WCARS09FE	0.75	2423	996	2.43	1 (One)
3	WCARS12FA	1	3412	1381	2.47	1 (One)
4	WCARS12FE	1	3412	1381	2.47	1 (One)
5	GWRAC018X1001	1.5	4876	1889	2.58	2 (Two)
6	GWRAC018X1e001	1.5	4876	1889	2.58	2 (Two)
7	GWRAC018X2001	1.5	4876	1889	2.58	2 (Two)
8	GWRAC018X2e001	1.5	4876	1889	2.58	2 (Two)
9	GWRAC018DM001	1.5	4876	1889	2.58	2 (Two)
10	GWRAC018DMe001	1.5	4876	1889	2.58	2 (Two)
11	GWRAC018DR001	1.5	4876	1889	2.58	2 (Two)
12	GWRAC018DRe001	1.5	4876	1889	2.58	2 (Two)
13	GWRAC018ER001	1.5	5214	1861	2.80	3 (Three)
14	GWRAC018ERe001	1.5	5214	1861	2.80	3 (Three)
15	GWRAC024X1002	2	6078	2545	2.39	1 (One)
16	GWRAC024X1e002	2	6078	2545	2.39	1 (One)
17	GWRAC024X2002	2	6078	2545	2.39	1 (One)
18	GWRAC024X2e002	2	6078	2545	2.39	1 (One)
19	GWRAC024DM001	2	6078	2545	2.39	1 (One)
20	GWRAC024DMe001	2	6078	2545	2.39	1 (One)
21	GWRAC024DR001	2	6078	2545	2.39	1 (One)
22	GWRAC024DRe001	2	6078	2545	2.39	1 (One)

Brand: **Carrier** Type: **Split Air Conditioner**

SL.No.	Model No.	Ton	Cooling Capacity (Watts)	Power Consumption (Watts)	Energy Efficiency Ratio (EER)	Star rating
1	Durakool 012	1.0	3175	1240	2.56	1 (One)
2.	Estrella 012	1.0	3693	1128	3.27	5 (Five)
3	Durakool 018	1.5	4725	1860	2.54	1 (One)
4	Durakool-e 018	1.5	4725	1860	2.54	1 (One)
5.	Estrella 018	1.5	5375	1696	3.17	4 (Four)
6	Durakool 024	2.0	6320	2580	2.45	1 (One)
7	Durakool-e 024	2.0	6320	2580	2.45	1 (One)
8	Durakool 009	0.8	2606	969	2.69	2 (Two)
9	SX2 012	1.0	3175	1240	2.56	1 (One)
10	SX2 018	1.5	4725	1860	2.54	1 (One)
11	SX2 018-e	1.5	4725	1860	2.54	1 (One)
12	Durakool R 024	2.0	5993	2462	2.43	1 (One)
13	Durakool R-e 024	2.0	5993	2462	2.43	1 (One)
14	SX2 024	2.0	5993	2462	2.43	1 (One)
15	SX2-e 024	2.0	5993	2462	2.43	1 (One)
16	Daiseikai 012	1.0	3858	1183	3.26	5 (Five)
17	Daiseikai 018	1.5	5196	1682	3.09	4 (Four)

Brand: **Voltas** Type: **Window Air Conditioner**

Sl. No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	4010854	0.75	2630	980	2.68	2 (Two)
2	4010849	1	3510	1310	2.68	2 (Two)
3	4010852	1.5	5270	1980	2.66	2 (Two)

4	4010853	2	7030	2650	2.65	2 (Two)
---	---------	---	------	------	------	---------

Brand: **Voltas** Type: **Split Air Conditioner**

Sl. No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	4501006	0.75	2630	965	2.73	3 (Three)
2	4500997	0.75	2630	980	2.68	2 (Two)
3	4501009	1	3510	1310	2.68	2 (Two)
4	4500994	1	3510	1310	2.68	2 (Two)
5	4501004	1	3510	1140	3.10	5 (Five)
6	4501008	1.5	5270	1980	2.66	2 (Two)
7	4500999	1.5	5270	1980	2.66	2 (Two)
8	4501001	2	7030	2610	2.69	2 (Two)
9	4501005	1.5	5270	1720	3.00	4 (Four)
10	4501007	2.0	6450	2110	3.00	4 (Four)

Brand: **DAIKIN** Type: **Split Air Conditioners**

SL.No.	Model No.	Ton	Cooling Capacity (Watts)	Power Consumption (Watts)	Energy Efficiency Ratio (EER)	Star rating
1	FT50BVM/R50BV1	1.5	5100	1750.00	2.91	4 (Four)

Brand: **LG** Type: **Window Air Conditioners**

SL.No.	Model No.	Ton	Cooling Capacity (Watts)	Power Consumption (Watts)	Energy Efficiency Ratio (EER)	Star rating
1	LWA3CW1AM1	1.0	3222	1340	2.40	1 (One)
2	LWA3CW1AB1	1.0	3222	1340	2.40	1 (One)
3	LWA5CW1AM1	1.5	5125	2075	2.47	1 (One)
4	LWA5CW1AB1	1.5	5125	2075	2.47	1 (One)
5	LWA5CW1AS1	1.5	5125	2075	2.47	1 (One)
6	LWA5HG2DT1	1.5	5275	2050	2.57	2 (Two)
7	LWA5HW2DT1	1.5	5275	2050	2.57	2 (Two)
8	LWA5HW1DT1	1.5	5275	2150	2.45	1 (One)
9	LWA5FS1PF1	1.5	5125	2075	2.47	1 (One)
10	LWA5FW1DF1	1.5	5125	2075	2.47	1 (One)
11	LWA5GW1AS1	1.5	5125	2075	2.47	1 (One)
12	LWA5GW1AM1	1.5	5125	2075	2.47	1 (One)
13	LWA5CC1AB1	1.5	5125	2075	2.47	1 (One)
14	LWA5CC1AM1	1.5	5125	2075	2.47	1 (One)
15	LWA3FW2DF1	1.0	3516	1350	2.6	2 (Two)
16	LWA3GW1AS1	1.0	3370	1360	2.48	1 (One)
17	LWA3CC1AB1	1.0	3370	1360	2.48	1 (One)
18	LWA3CC1AM1	1.0	3370	1360	2.48	1 (One)

Brand: **LG** Type: **Split Air Conditioners**

SL.No.	Model No.	Ton	Cooling Capacity (Watts)	Power Consumption (Watts)	Energy Efficiency Ratio (EER)	Star rating
1	LSA3TW2AB1	1.0	3516	1335	2.63	2 (Two)
2	LSA3TW2AS1	1.0	3516	1335	2.63	2 (Two)
3	LSA3UW2AF1	1.0	3516	1335	2.63	2 (Two)
4	LSA3UW2VF1	1.0	3516	1335	2.63	2 (Two)
5	LSA3WB2VF1	1.0	3516	1310	2.68	2 (Two)
6	LSA3WG2VF1	1.0	3516	1310	2.68	2 (Two)
7	LSA3WB2PF1	1.0	3516	1310	2.68	2 (Two)
8	LSA3WG2PF1	1.0	3516	1310	2.68	2 (Two)

9	LSA3YS3VTY1	1.0	3575	1240	2.88	3 (Three)
10	LSA3YG3VTY1	1.0	3575	1240	2.88	3 (Three)
11	LSA3YE3VTY1	1.0	3575	1240	2.88	3 (Three)
12	LSA3YB3VTY1	1.0	3575	1240	2.88	3 (Three)
13	LSA5ZG4NTY1	1.5	5275	1785	2.96	4 (Four)
14	LSA3ZG5NTY1	1.0	3516	1120	3.14	5 (Five)
15	LSA3ZSSNTY1	1.0	3516	1120	3.14	5 (Five)
16	LSA3ZB5NTY1	1.0	3516	1120	3.14	5 (Five)
17	LSA5SW2AB1	1.5	5125	1975	2.59	2 (Two)
18	LSA5SW2AS1	1.5	5125	1975	2.59	2 (Two)
19	LSA5XW2VF1	1.5	5125	1975	2.59	2 (Two)
20.	LSA3FB3VTY1	1.0	3516	1240	2.84	3 (Three)
21	LSA3FG3VTY1	1.0	3516	1240	2.84	3 (Three)
22.	LSA3MB4NL1	1.0	3660	1220	3.00	4 (Four)
23.	LSA3MG4NL1	1.0	3660	1220	3.00	4 (Four)
24.	LSA3ZG5NTP1	1.0	3516	1120	3.14	5 (Five)
25.	LSA3ZB5NTP1	1.0	3516	1120	3.14	5 (Five)
26.	LSA5WG2VF1	1.5	5125	1970	2.60	2 (Two)
27.	LSA5WB2VF1	1.5	5125	1970	2.60	2 (Two)
28.	LSA5FB3VTY1	1.5	5275	1880	2.80	3 (Three)
29.	LSA5FG3VTY1	1.5	5275	1880	2.80	3 (Three)
30.	LSA5MB3NL1	1.5	5275	1880	2.80	3 (Three)
31.	LSA5MG3NL1	1.5	5275	1880	2.80	3 (Three)
32.	LSA5ZB4NTP1	1.5	5275	1785	2.96	4 (Four)
33.	LSA5ZG4NTP1	1.5	5275	1785	2.96	4 (Four)
34.	LSA5ZB4NTY1	1.5	5275	1785	2.96	4 (Four)
35.	LSA5ZS4NTY1	1.5	5275	1785	2.96	4 (Four)
36.	LSA6WG2VF1	2.0	6450	2480	2.60	2 (Two)
37.	LSA6WB2VF1	2.0	6450	2480	2.60	2 (Two)
38.	LSA6FG2VTY1	2.0	6450	2480	2.60	2 (Two)
39.	LSA6FB2VTY1	2.0	6450	2480	2.60	2 (Two)
40.	LSA6ZB2NTP1	2.0	6450	2480	2.60	2 (Two)
41.	LSA6ZG2NTP1	2.0	6450	2480	2.60	2 (Two)
42.	LSA6ZB2NTY1	2.0	6450	2480	2.60	2 (Two)
43.	LSA6ZG2NTY1	2.0	6450	2480	2.60	2 (Two)

Brand: **SAMSUNG**

Type: **Window Air Conditioner**

Sl.No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	AWT12FKD	1	3226	1309	2.46	1 (One)
2	AWT12GKD	1	3226	1309	2.46	1 (One)
3	AWT12GKC	1	3450	1300	2.65	2 (Two)
3	AWT18QKD	1.5	4960	1990	2.49	1 (One)
5	AWT18WKD	1.5	4960	1990	2.49	1 (One)
6	AWT18XSD	1.5	4960	1990	2.49	1 (One)
7	AWT18WKC	1.5	5000	1870	2.65	2 (Two)

Brand: **SAMSUNG**

Type: **Split Air Conditioners**

Sl.No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	AS12FF	1	3500	1300	2.69	2 (Two)
2	AS12WF	1	3500	1300	2.69	2 (Two)
3	AS12FB	1	3800	1320	2.88	3 (Three)
4	AS12FD	1	3650	1220	2.99	4 (Four)
5	AS12LA	1	3650	1150	3.17	5 (Five)
6	AS18XF	1.5	5100	1900	2.68	2 (Two)

7	AS18FF	1.5	5270	1960	2.69	2 (Two)
8	AS18WF	1.5	5270	1960	2.69	2 (Two)
9	AS18FB	1.5	5300	1840	2.88	3 (Three)
10	AS18FD	1.5	5300	1760	3.01	4 (Four)
11	AS18LA	1.5	5300	1650	3.21	5 (Five)
12	AS18MSF	1.5	5300	1840	2.88	3 (Three)
13	AS24FF	2	6500	2620	2.48	1 (One)
14	AS24WF	2	6500	2620	2.48	1 (One)

Brand : **BLUE STAR**

Type: **Split Air Conditioner**

Sl.No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	KHWE181YPS	1.5	5070	1720	2.95	4 (Four)
2	KHWE121YPS	1.0	3520	1090	3.23	5 (Five)
3	KHWE101YPS	0.75	2830	930	3.04	4 (Four)

Brand : **ONIDA**

Type: **Split Air Conditioners**

Sl.No.	Model No.	TON	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Ratio (EER) (W/W)	Star rating
1	SZ18GRL2	1.5	4872	1854	2.63	2 (Two)

Brand: **KORYO**

Type: **Split Air Conditioner**

Sl. No.	Model No.	Ton	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Rating (EER) (W/W)	Star rating
1	KS109AA-N	0.75	2470	930.4	2.65	2 (Two)
2	KSI 18GR	1.5	4345	1650	2.64	2 (Two)

Brand : **SENSEI**

Type: **Split Air Conditioner**

Sl. No.	Model No.	Ton	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Rating (EER) (W/W)	Star rating
1	SSI12GA	1.0	3340	1281	2.60	2 (Two)
2	SSI18GA	1.5	4825	1984	2.40	1 (One)

Brand : **Whirlpool**

Type: **Split Air Conditioner**

Sl. No.	Model No.	Ton	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Rating (EER) (W/W)	Star rating
1	WASR09K20	0.75	2460	920	2.67	2 (Two)
2	WASR12K20	1.00	3370	1290	2.61	2 (Two)
3.	WASR18K30	1.50	5330	1910	2.79	3 (Three)
4.	WASR18K40	1.50	5625	1860	3.02	4 (Four)

5.	WASR24K20	1.75	6445	2400	2.69	2 (Two)
6.	WAWR09G20	0.75	2580	950	2.63*	2 (Two)
7.	WAWR12G20	1.00	3400	1250	2.63*	2 (Two)
8.	WAWR18G10	1.50	5190	2020	2.42*	1 (One)
9.	WAWR18G20	1.50	5270	1990	2.63	2 (Two)
10.	WAWR18G30	1.50	5190	1800	2.84*	3 (Three)
11.	WASR12K30	1.00	3430	1215	2.82	3 (Three)
12..	WASR18G20	1.50	5275	1890	2.69*	2 (Two)

**Brand : La Vida**

**Type: Window Air Conditioner**

Sl. No.	Model No.	Ton	Cooling Capacity (W)	Power Consumption (W)	Energy Efficiency Rating (EER) (W/W)	Star rating
1	AG18WC2WH	1.5	5036	1904	2.64	2 (Two)